

"SLASHBUSTER"®

XL 480B

Brush Cutting Attachment with Patented Third Boom


XL 480B

General Specifications

- 48" cutting swath
- Cuts and mulches brush and trees to 8 inches in diameter
- Adaptable to 20,000 to 40,000-lb standard front excavators
- Standard integrated material handler
- Standard automatic wire shear
- Standard rotating hub debris guard
- Standard "SLASHBUSTER" cutting disk with S-7 teeth
- 2,800-lb. to 3,300-lb. total weight

Options:

- Blade bar cutter
- Ninety-degree tilt mount
- "VCP" Remote spot herbicide applicator
- Remote trim saw



Basic Installation Requirements

Hydraulic:

- Continuous service priority flow circuit
 - 30 GPM to 44 GPM; Varies with excavator size and options
 - 2,500 PSI minimum recommended
 - Three position directional control valve recommended
 - Dual acting cylinder circuit with 15 GPM, 2500 PSI for thumb
- "SLASHBUSTER"® attachments are provided with:
- integral crossport relief and
 - anti cavitation check valves

Electric:

- 20 AMP auxiliary circuit recommended
- Cab mounted control for forward, neutral and reverse
- with indicator light recommended



Note: It is recommended that the excavator is provided with a hinged front screen guard for the front of the cab that meets or exceeds SAE J1084 specs.

"SLASHBUSTER"®

Unmatched in Performance,
Reliability and Output.

D&M "SLASHBUSTER"® Equipment is the Most Advanced
State-of-the-Art Brushcutting and Clearing Equipment Known.



D&M Machine Division, Inc.

12 Monte-Brady Road Montesano, WA 98563
(360) 249-3366
email: info@slashbuster.com
www.slashbuster.com

Exclusive Manufacturer of "SLASHBUSTER"® Equipment

THIS EQUIPMENT IS PROTECTED BY ONE OR MORE OF THE FOLLOWING PATENTS: 4,769,977; 5,103,882; 5,201,350; 5,329,752; 5,408,814; S/N 08/720,536; AUSTRALIAN PATENTS: 600716; 618679; 652131; 654411; 665724; CANADIAN PATENTS: 1,281,908; 2,084,971; NEW ZEALAND PATENTS: 245249; 270419; EUROPEAN PATENT 0298977, REGISTERED IN GB, FR, IT, CH, NL, BE (298977E), DE (37793098), AT (0076250E), SE (879019487); AND PATENTS PENDING IN THE UNITED STATES, AUSTRALIA, CANADA, EUROPE, FINLAND AND NEW ZEALAND.